



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/670,032	09/24/2003	David C. Racenet	1879 CON II	5015
Covidien 60 Middletown Avenue North Haven, CT 06473			EXAMINER NGUYEN, CAMTU TRAN	
			ART UNIT 3772	PAPER NUMBER
			MAIL DATE 11/27/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/670,032

Applicant(s)

RACENET ET AL.

Examiner

Camtu T. Nguyen

Art Unit

3772

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 14 June 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 5-10 and 24-31 is/are pending in the application.
- 4a) Of the above claim(s) 6, 8 and 31 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 3, 5, 7, 9, 10, 22 and 24-30 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 5-15-2006.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____.

Art Unit: 3772

DETAILED ACTION

Note:

This Office Action supersedes the Final Action mailed out on September 11, 2007. Thus, the previous Final Action has been withdrawn.

Election

Applicant's election without traverse of Figures 14 & 15, claims 5, 7, 9, 10, 22, and 24-30, in the reply filed on June 14, 2007 is acknowledged.

Claims 5, 9, and 24 have been amended.

Claims 6, 8, and 31 have been withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected embodiment.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned

Art Unit: 3772

with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 5 and 24 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-10 of U.S. Patent No. 5,545,179 to Williamson, IV in view of U.S. Patent No. 7,244,244 to Racenet et al. Williamson, IV discloses an access assembly to provide access for surgical instrument during endoscopic surgical procedure comprising all of the element as recited in applicant's claims but does not disclose the tapering sealing (26) comprising a fabric material and being disposed within the access member, as recited in independent claims 5 and 24. Racenet et al discloses in claims 1, 2, 4, 5, 8-10, 14, 20, 22, 23, 24 a layer of fabric attached to the seal member. Therefore it would have been obvious to one skilled in the art during the time of the invention to modify claim 1 of U.S. Patent No. 5,545,179 (Williamson, IV) to provide a layer of fabric as taught by Patent No. 7,244,244 (Racenet et al) for the purposes of providing greater resistance, thus, to form a tighter fluidic seal in relation about the elongated object.

Claims 5, 7, 9, 10, 22, and 24-30 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 5-13 and 16-19 of copending Application No. 10/718,195 (according to PAIR system, the latest amendment is Examiner's Amendment mailed out on June 6, 2006). Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims in co-pending application #10/718,195 reciting the seal member having an hourglass configuration anticipates the seal member having a general conical configuration in this instant application.

Art Unit: 3772

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Terminal Disclaimer

The terminal disclaimer filed on May 5, 2006, disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of U.S. Patent No. 6,702,787, has been reviewed and is accepted.

The terminal disclaimer has been recorded.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims, 5, 7, 9, 10, 22, 24-30 are rejected under 35 U.S.C. 102(b) as being anticipated by Stablein (DE 37 37 121 A1). Stablein discloses on Figures 1 & 2 a controllable sealing system for catheter and instrument insertion comprising sealing sleeve (2) having a passage receiving an instrument therethrough (see Figure 1c). Stablein further discloses the sealing sleeve (2) is made of soft and flexible but tear-resistant material (natural or synthetic or soft plastic) and a fabric material is used to reinforce sealing sleeve (2), see last paragraph of column 2. With regards to 9, Figure 1b and 1c illustrating the sealing sleeve (2) having a general conical configuration.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 5, 7, 9, 10, 22, 24-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Williamson, IV (U.S. Patent No. 5,545,179) and further in view of Bailey (U.S. Patent No. 4,157,057). Williamson, IV discloses an access assembly to provide access for surgical instrument during endoscopic surgical procedure comprising all of the element as recited in applicant's claims but does not disclose the tapering sealing (26) comprising a fabric material and being disposed within the access member, as recited in independent claims 5 and 24. Bailey discloses in Figure 3 an elastomeric material seal ring (20) with a reinforcing heel (23) which is a nylon fabric (column 2 lines 35-39). Therefore, it would have been obvious to one skilled in the art to modify the Williamson, IV's sealing (26) to include a reinforcing heel as taught by Bailey for the purposes of providing greater resistance, thus, to form a tighter fluidic seal in relation about the elongated object. In re Deminski, 796 F.2d 436, 230 USPQ 313 (Fed. Cir. 1986); In re Clay, 966 F.2d 656, 659, 23 USPQ2d 1058, 1060-61 (Fed. Cir. 1992) ("A reference is reasonably pertinent if, even though it may be in a different field from that of the inventor's endeavor, it is one which, because of the matter with which it deals, logically would have commended itself to an inventor's attention in considering his problem."); Wang Laboratories Inc. v. Toshiba Corp., 993 F.2d 858, 26 USPQ2d 1767 (Fed. Cir. 1993); and State Contracting & Eng'g Corp. v.

Art Unit: 3772


Condotte America, Inc., 346 F.3d 1057, 1069, 68 USPQ2d 1481, 1490 (Fed. Cir. 2003) (where the general scope of a reference is outside the pertinent field of endeavor, the reference may be considered analogous art if subject matter disclosed therein is relevant to the particular problem with which the inventor is involved).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Camtu T. Nguyen whose telephone number is 571-272-4799. The examiner can normally be reached on (M-F) 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patricia Bianco can be reached on 571-272-4940. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Camtu Nguyen
November 15, 2007


PATRICIA BIANCO
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700

11/24/07